

Technical Data Sheet

Texol Fibresyn™ VZF D - SW Series

White Oil Pharmaceutical

Product Description

- Special oil based on paraffin
- With product – specific additives
- Outstanding lubricating effect and high wear protection ensure low machine temperatures
- Excellent ageing stability
- High corrosion protection
- Neutral action to varnish, elastomeric bonds as well as synthetic fiber (spandex)
- Meets the requirements of US FDA 21 CFR 172 . 878 & 21 CFR 178 . 3620 (a) , USP 32 NF 27 (United States Pharmacopoeia) EP - 2008 (European Pharmacopoeia) and BP – 2009 (British Pharmacopoeia) Standards.

Advantages

- TEXOL™ technology
- Odorless, colorless and tasteless
- Physiologically safe
- InS Service H1 registered

Applications and Uses

Texol Fibresyn™ VZF D - SW Series are pharmaceutical industry, cosmetic industry, foodstuff and packing industry, chemical industry; application also in the textile industry as technical white oil.

Typical Properties

Property (Unit)	SW05	SW 08	SW 15	SW 32	SW 46	SW 68	Method
Density at +15 °C	855	855	860	870	870	875	DIN 51757
Viscosity @40°C, cSt	05	08	15	32	46	68	DIN 51562
Viscosity Index	100	107	110	115	115	120	DIN ISO 2909
Flash Point, °C	190	195	200	210	220	235	DIN ISO 2592
Pour Point, °C	<-25	<-24	<-22	<-20	<-20	<-18	DIN ISO 3016